DEANTA HARDWARE

VOLUME IV



déanta

HARDWARE

www.deantadoors.ie

déanta

HARDWARE

Deanta is Ireland's premium supplier of interior doors. With more than 20 years of experience, we offer top quality products to our customers, by continuously innovating and improving the performance of all our products and processes.

To complement our doors, we have designed superior architectural door hardware including handles, knobs, locks, hinges and more. We aim to offer limitless possibilities to our customers. We have developed distinct ranges of hardware: Exquisite, Elegance and Harmony.


In each range, every item is selected for its finest quality and unique value for money. We are confident in our belief that we can offer superior products at the most competitive prices.

At Deanta, we are committed to quality and reliability. For this reason, when it comes to achieving and maintaining standards, we have chosen independent third-party testing from Warrington Certification Ltd.

This ensures consistent product assurance for specifiers, stockists and end-users. The standards achieved and level of traceability ensure confidence in the performance of our products.

warrington certification

CE EN 12209 STANDARDS FD30/60 EN 1935 STANDARDS EN 1906 STANDARDS EN 1634.1 STANDARDS



PRODUCT STANDARDS

BS EN 1906:2012 classifies door furniture by using an 8-digit coding system. A similar classification applies to all building hardware product standards so that complementary items of hardware can be specified to.

EN 1906 STANDARDS

Manufacturer's declaration that the product complies with the essential requirements of the relevant European health, safety and environmental protection legislation, in practice by Product Directives.

CE

European standard BSEN 1634-1, to confirm that the product design performs to a minimum standard under proper test conditions using a furnace under controlled conditions (850 degrees C for 30 mins, or 950 degrees C for 60 mins).

EN 1634.1 STANDARDS

European standard specifies requirements for single-axis hinges for windows and doors opening in one direction only. BS EN 1935:2002 classifies door furniture by using an 8-digit coding system.

EN 1935 STANDARDS

European standard specifies mechanically operated locks and locking systems intended for use in different environmental and security conditions, thus necessitating different grades

EN 12209 STANDARDS

FD30/60 offers 30 to 60 minute fire protection and is suitable for all domestic situations.

FD30/60

PRODUCT FINISHES

CP	CHROME PLATED
PC	POLISHED CHROME
SC	SATIN CHROME
PN	POLISHED NICKEL
SN	SATIN NICKEL
PB	POLISHED BRASS
AB	ANTIQUE BRASS
SS	SATIN STAINLESS
SA	SATIN ALUMINIUM
BN	BLACK NICKEL
BN.PC	BLACK NICKEL / POLISHED CHROME
SN.PC	SATIN NICKEL / POLISHED CHROME
SC.PC	SATIN CHROME / POLISHED CHROME



HANDLES

ELEGANCE

CE

EN 1906
STANDARDS

FD30/60

EN 1634.1
STANDARDS



LHH218 CP





LHH201 SN



SKELLIG

Screw on Rose

Product Codes

LHH218 CP
LHH201 SN


Standards

FD30/60 | EN 1634.1 STANDARDS

Key Features

BS EN 1634.1, Sprung Rose, Bolt through fixings included, Suitable for 35 - 54mm Thickness Timber Doors

Technical



Finishes Available

CP SN

A-53mm, B-130mm, C-60mm, D-10mm

Recommended Escutcheons/Thumbturns see page 6:
LHH301 - LHH303
LHH301b - LHH303b




LHH219 CP





LHH233 SN



BARROW

Screw on Rose

Product Codes

LHH219 CP
LHH233 SN


Standards

FD30/60 | EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



Finishes Available

CP SN

A-53mm, B-135mm, C-65mm, D-10mm

Recommended Escutcheons/Thumbturns see page 6:
LHH301 - LHH303
LHH301b - LHH303b



LHH220 CP



LHH221 SN



LAGAN

Screw on Rose

Product Codes

LHH220 CP
LHH221 SN


Standards

FD30/60 | EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



Finishes Available

CP SN

A-155mm, B-65mm
C-22mm, D-102mm

Recommended Escutcheons/Thumbturns see page 6:
LHH301 - LHH303
LHH301b - LHH303b



LHH222 CP





LHH202 SN



ARAN

Screw on Rose

Product Codes

LHH222 CP
LHH202 SN


Standards

FD30/60 | EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



Finishes Available

CP SN

A-53mm, B-125mm
C-65mm, D-10mm

Recommended Escutcheons/Thumbturns see page 6:
LHH301 - LHH303
LHH301b - LHH303b



LHH223 CP





LHH203 SN



INISHMORE

Screw on Rose

Product Codes

LHH223 CP
LHH203 SN


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-53mm, B-125mm
C-70mm, D-10mm

Finishes Available

CP SN

Recommended Escutcheons/Thumbturns see page 6:
LHH301 - LHH303
LHH301b - LHH303b



LHH301/b



LHH302/b



LHH303/b

ESCUTCHEONS

Product Codes

Standard
LHH301 SN
LHH301b CP


Euro / Key
LHH302 SN
LHH302b CP

Turn & Releases - WC
LHH303 SN
LHH303b CP

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-53mm, B-10mm

Key Features

Zinc
53mm Screw on Rose
Fixing Screws supplied

Finishes Available

CP SN



HANDLES

ELEGANCE

STAINLESS STEEL

CE

EN 1906
STANDARDS

FD30/60

EN 1634.1
STANDARDS



CLARE

Push on Rose

Product Codes

LHH216 SS


Standards

FD30/60 | EN 1906 STANDARDS | EN 1634.1 STANDARDS

Key Features

BS EN 1906
BS EN 1634.1
Tested to 200,000 cycles
Grade 201 Stainless Steel
Unsprung Rose Spindle
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-53mm, B-125mm
C-70mm, D-10mm

Finishes Available

SS



LHH320



LHH319





LHH322





LHH321

SS ESCUTCHEONS

Product Codes

Standard
LHH319

Euro / Key
LHH320

Bar Turn & Releases With Indicator
LHH322

Thumb Turn & Releases With Indicator
LHH321

Standards

FD30/60 | EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Grade 304 Stainless Steel
52mm Push on Rose dia.
Fixing Screws supplied

Finishes Available

SS



PULL HANDLE

Product Code

LHH217**A**

19x300x55mm

Key Features


Stainless steel
BS EN 1634.1
Grade 304 Stainless Steel
19mm Tubular

Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS





PULL HANDLE

Product Code

LHH784

19x400x55mm

Key Features


Stainless steel
BS EN 1634.1
Grade 304 Stainless Steel
19mm Tubular

Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS





PUSH PLATE

Product Code

LHH785

Key Features

Satin Finish
W 75MM x L 500MM


Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-500mm
B-75mm



PULL HANDLE

Product Code

LHH780

Key Features

Satin Finish
W 75MM x L 500MM


Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-78mm
B-42mm



HANDLES

EXQUISITE

CE

EN 1906
STANDARDS

EN 1634.1
STANDARDS



ROSCREA
Screw on Rose

Product Codes

LHH208 PC


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Zinc Lever
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-127mm, C-68mm, D-10mm

Finishes Available

PC

Recommended Escutcheons:
LHH308 - STD
LHH309 - EURO



KILLYLEA
Screw on Rose

Product Codes

LHH209 SC/PC


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Zinc Lever
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical




A-52mm, B-143mm, C-60mm, D-10mm

Finishes Available

SC.PC

Recommended Escutcheons:
LHH304 - EURO
LHH307 - STD



ATHLONE

Screw on Rose

Product Codes

LHH210 BN/PC


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Zinc Lever
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-120mm, C-62mm, D-10mm

Finishes Available

BN.PC

Recommended Escutcheons:
LHH311 - Std
LHH305 - Euro



PORTLAOISE

Screw on Rose

Product Codes

LHH211 SN/PC


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Zinc Lever,
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-120mm, C-62mm, D-10mm

Finishes Available

SN.PC

Recommended Escutcheons:
LHH312 Std
LHH306 Euro



LHH309



LHH308

ZINC ESCUTCHEONS

Product Codes


Standard
LHH308 PC

Euro / Key
LHH309 PC

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-52mm, B-10mm

Key Features

BS EN 1634.1
52mm Push on Rose dia.
Fixing Screws supplied

Finishes Available

PC

****To Suit Roscrea Handle*



LHH313



LHH318

ESCUTCHEONS

Product Codes


Standard
LHH313 SN

Euro / Key
LHH318 SN

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-52mm, B-10mm

Key Features

BS EN 1634.1
Zinc
52mm Screw on Rose
Fixing Screws supplied

Finishes Available

SC.PC

****To Suit Knockoura Handle*

ESCUTCHEONS



LHH311



LHH305

Product Codes


Standard
LHH311 BN/PC

Euro / Key
LHH305 BN/PC

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-52mm, B-10mm

Key Features

BS EN 1634.1
Zinc
52mm Screw on Rose
Fixing Screws supplied

Finishes Available

BN.PC

****To Suit Athlone Handle*

ESCUTCHEONS



LHH312



LHH306

Product Codes


Standard
LHH312 SN/PC

Euro / Key
LHH306 SN/PC

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-52mm, B-10mm

Key Features

BS EN 1634.1
Zinc
52mm Screw on Rose
Fixing Screws supplied

Finishes Available

SN.PC

****To Suit Portlaoise Handle*



HANDLES

HARMONY

CE

EN 1906
STANDARDS

FD30/60

EN 1634.1
STANDARDS



BRANDON
Screw on Rose

Product Codes

LHH204 SC/PC


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Aluminium Lever
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-115mm, C-64mm, D-10mm

Finishes Available

SC.PC

Recommended Escutcheons:
LHH304 Euro
LHH307 Std



TORC
Screw on Rose

Product Codes

LHH205 SC/PC


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Aluminium Lever
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-125mm, C-65mm, D-10mm

Finishes Available

SC.PC

Recommended Escutcheons:
LHH304 Euro
LHH307 Std



KNOCKOURA

Screw on Rose

Product Codes

LHH206 SN


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Aluminium,
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-132mm, C-65mm, D-10mm

Finishes Available

SN

Recommended Escutcheons:
LHH313/LHH318



TARA

Screw on Rose

Product Codes

LHH207 SC/CP


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
Aluminium,
Sprung Rose
Bolt through fixings included
Suitable for 35 - 54mm Thickness Timber Doors

Technical



A-52mm, B-128mm, C-68mm, D-10mm

Finishes Available

SC.PC

Recommended Escutcheons:
LHH307
LHH304



LHH307



LHH304

ZINC ESCUTCHEONS

Product Codes


Standard
LHH307 SC/CP

Euro / Key
LHH304 SC/CP

Standards

FD30/60 EN 1634.1 STANDARDS

Technical



A-52mm, B-10mm

Key Features

Zinc
52mm Screw on Rose
Fixing Screws supplied

Finishes Available

SN SC.PC SN.PC

****To Suit Tara/Brandon/Torc Handle*



LHH303



LHH303b

WC ESCUTCHEONS

Product Codes

Turn & Releases - WC
LHH303 SN
LHH303b CP


Standards

FD30/60 EN 1634.1 STANDARDS

Key Features

52mm Screw on Rose
Fixing Screws supplied


Technical



A-53mm, B-10mm

Finishes Available

CP SN



BRASS DOOR KNOBS

CE

EN 1906
STANDARDS

FD30/60



BELLEW
Brass Door Knob

Product Codes

LHH227 PC

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Finishes Available


PC

Recommended Escutcheons:
LHH325
LHH326

Standards

EN 1634.1 STANDARDS

Technical



A-53mm, B-10mm
C-70mm



BRITTAS
Brass Door Knob

Product Codes

LHH228 PC

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Finishes Available


PC

Recommended Escutcheons:
LHH325
LHH326

Standards

EN 1634.1 STANDARDS

Technical



A-53mm, B-10mm
C-70mm



BALLIVOR
Brass Door Knob

Product Codes

LHH229

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Finishes Available


PC

Recommended Escutcheons:
LHH325
LHH326

Standards

EN 1634.1 STANDARDS

Technical



A-53mm, B-10mm
C-70mm



BALCARRA
Brass Door Knob

Product Codes

LHH230

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Finishes Available


PC

Recommended Escutcheons:
LHH325
LHH326


Standards

EN 1634.1 STANDARDS

Technical



A-53mm, B-10mm
C-70mm



PORTROE
Ceramic Door Knob

Product Codes

LHH240


Standards

EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Technical




A-53mm, B-10mm
C-70mm

Finishes Available

PC PB AB

Recommended Escutcheons:
LHH325
LHH326



PORTROE
Ceramic Door Knob

Product Codes

LHH241 PB


Standards

EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Technical



A-53mm, B-10mm
C-70mm

Finishes Available

PC PB AB

Recommended Escutcheons:
LHH325
LHH326



PORTROE
Ceramic Door Knob

Product Codes

LHH242 AB


Standards

EN 1634.1 STANDARDS

Key Features

BS EN 1634.1
70mm Rose dia.
Grub Screw Spindle Fixing

Technical



A-53mm, B-10mm
C-70mm

Finishes Available

PC PB AB

Recommended Escutcheons:
LHH325
LHH326



LHH325



LHH326

ESCUTCHEONS P/C ANTIQUE STYLE


Product Codes

Standard
LHH325 PC
LHH326 PC

Standards

EN 1634.1 STANDARDS

Technical



Key Features

BS EN 1634.1
70mm Rose dia.
Screw

Finishes Available

PC

A-53mm, B-10mm



LOCKS

EN 1906 STANDARDS

EN 12209 STANDARDS

FD30/60

EN 1634.1 STANDARDS



SASH LOCK

Product Codes

LHH101c SN Square
LHH101d SN Radiussed

Standards


EN 12209 STANDARDS

Key Features

BS EN 12209 : 2003
Stainless steel
Deadbolt: 1 turn
Solid Brass Latch &
Deadbolt

Available in
Radiused & Sqaure

Technical



Finishes Available

SN

H-155mm, W-22mm,
A-45mm, B-65mm,
C-57mm, D-102mm



BATHROOM LOCK

Product Codes

LHH101 SN Square
LHH101b SN Radiussed

Standards


EN 12209 STANDARDS

Key Features

BS EN 12209 : 2003
Stainless steel
Deadbolt: 1 turn
Solid Brass Latch &
Deadbolt

Available in
Radiused & Sqaure

Technical



Finishes Available

SN

H-155mm, W-22mm,
A-45mm, B-65mm,
C-57mm, D-102mm



EURO SASH LOCK

Product Codes

LHH102

Key Features

BS EN 12209 : 2003
Stainless steel
Deadbolt: 1 turn
Solid Latch & Deadbolt


Finishes Available


SN

Standards

EN 12209 STANDARDS

Technical







EURO BATHROOM LOCK

Product Codes

LHH103

Key Features

BS EN 12209 : 2003
Stainless steel
Deadbolt: 1 turn
Solid Brass Latch & Deadbolt


Finishes Available


SN

Standards

EN 12209 STANDARDS

Technical







3 LEVER SASH LOCK

Product Codes

LHH105

Key Features

BS EN 12209 : 2003
Stainless steel forend & steel striker
Brass Latch & Bolt
2 x Zinc Keys


Finishes Available

SN

Standards

EN 12209 STANDARDS CE

Technical



B(mm)	A(mm)
45	65
57	76



BATHROOM LOCK

Product Codes

LHH108

Key Features

BS EN 12209 : 2003
Stainless steel forend & steel striker
Zinc Latch
Aluminium Deadbolt


Finishes Available

SN

Standards

EN 12209 STANDARDS CE

Technical





DEAD LOCK

Product Codes

LHH786

Key Features

BS EN 12209 : 2003
Stainless steel
Satin Finish
Stainless steel forend
Strike Plate
Dead Bolt Backset


Finishes Available


SN

Standards

EN 12209 STANDARDS CE

Technical





DOOR LATCH

Product Codes

LHH109

Key Features


BS EN 12209 : 2003
Upright Latch
Stainless Steel forend
& Steel Striker
Brass Latch

Finishes Available

SN

Standards

EN 12209 STANDARDS CE



B(mm)	A(mm)
45	65
57	77

35/35 EURO CYLINDER LOCK



Product Codes

LHH150

Key Features

BS EN 12209 : 2003
Brass Cylinder
Satin Chrome Plated
Anti-Pick
Bypass Clutch for
Thumbturn Cylinder


Finishes Available

SN

Standards

EN 12209 STANDARDS CE

Technical



35/10 EURO CYLINDER LOCK



Product Codes

LHH151

Key Features

BS EN 12209 : 2003
Brass Cylinder
Satin Chrome Plated
Anti-Pick
Bypass Clutch for
Thumbturn Cylinder


Finishes Available

SN

Standards

EN 12209 STANDARDS CE

Technical



35T/35 EURO CYLINDER LOCK



Product Codes

LHH152

Key Features

BS EN 12209 : 2003
Brass Cylinder
Satin Chrome Plated
Anti-Pick
Bypass Clutch for
Thumbturn Cylinder


Finishes Available

SN

Standards

EN 12209 STANDARDS CE

Technical



35T/35 EURO CYLINDER LOCK WC



Product Codes

LHH153

Key Features

BS EN 12209 : 2003
Brass Cylinder
Satin Chrome Plated
Anti-Pick
Bypass Clutch for
Thumbturn Cylinder


Finishes Available

SN

Standards

EN 12209 STANDARDS CE

Technical





DOOR LATCH

Radiussed Face

Product Codes

LHH121 (2.5 inch)
LHH122 (3 inch)

Key Features


Satin Nickel
EN 12209
Radiused faceplate

Finishes Available

SN


Standards

Technical



DIMENSIONS: LHH121 (2.5 Inch)
A-25 MM, B-63.5MM C-57MM, D-17MM
DIMENSIONS: LHH122 (3 Inch)
A-25 MM, B-76.2MM C-57MM, D-17MM

TRADITIONAL NIGHTLATCH



Product Codes

LHH130

Key Features

BS EN 12209 : 2003
Cylinder finish: Brass
Backset: 60mm
Case width: 92mm
Case height: 66mm
Complete with rim cylinder


Finishes Available

SN

Standards

EN 12209 STANDARDS

Technical





DOOR ACCESSORIES

FULL SETS

CE

EN 1906
STANDARDS

FD30/60

EN 1634.1
STANDARDS



DOOR ACCESSORIES SETS
Key Set

LHH011 - Skellig SN
LHH013 - Skellig PC
LHH017 - Copeland SN
LHH018 - Coney SN
LHH019 - Tara SN
LHH021 - Aran SN
LHH023 - Aran PC
LHH031 - Inishmore SN
LHH033 - Inishmore PC
LHH041 - Lagan SN
LHH043 - Lagan PC
LHH051 - Barrow SN



DOOR ACCESSORIES SETS
Bathroom Set

LHH012 - Skellig SN
LHH014 - Skellig PC
LHH020 - Copeland SN
LHH022 - Aran SN
LHH024 - Aran PC
LHH027 - Coney SN
LHH028 - Tara SN
LHH032 - Inishmore SN
LHH034 - Inishmore PC
LHH042 - Lagan SN
LHH044 - Lagan PC
LHH052 - Barrow SN



ACCESSORIES

EN 1906 STANDARDS

EN 12209 STANDARDS

FD30/60

EN 1634.1 STANDARDS

***Cover available for LHH605
see page 32



DOOR CLOSER

Overhead door closer (DRC001)

Product Codes

LHH605

Standards

FD30/60 | EN 1634.1 STANDARDS | CE

Key Features


BS EN 1634-1
Adjustable closing speed
Adjustable latching speed
Universal opening
Adjustable back check
500.000 cycle test passed
Max door height 60KG
Max door width 950mm


Finishes Available

SA

A-182mm, B-42mm,
E-63mm, C-165mm,
D-19mm

Technical







DOOR CLOSER

Overhead door closer **- FULL SET WITH COVER(DRC005)**

Product Codes

LHH607

Standards

FD30/60 | EN 1634.1 STANDARDS | CE

Key Features


BS EN 1634-1
Adjustable closing speed
Adjustable latching speed
Universal opening
Adjustable back check
500.000 cycle test passed
Max door weight 80KG
Max door width 950mm


Finishes Available

SA

A-227mm, B-46mm,
E-72mm, C-208mm,
D-19mm

Technical







DOOR CLOSER COVER

DRC001- Cover for LHH605

Product Codes

LHH606

Standards

FD30/60 | EN 1634.1 STANDARDS | CE


Key Features

BS EN 1634-
Door closer cover
Size: 190x48x68mm

Finishes Available

SA

Technical





DOOR STOP

Door Stop - Floor Mounted - Oval

Product Codes

LHH701


Key Features

BS EN 1634-1
Floor Mount
44x3mm

Finishes Available

SS

Technical



déanta HARDWARE

FLUSH BOLT



Product Codes

LHH781

Key Features

BS EN 12209 : 2003
Stainless steel
Satin finish


Finishes Available

SS

Standards

EN 12209 STANDARDS CE

Technical



A-19mm, B-200mm

DUST CAP



Product Codes

LHH782

Key Features

BS EN 12209 : 2003
Stainless Steel
Dust Proof Socket
Satin Finish


Finishes Available

SN


Standards

EN 12209 STANDARDS CE

Technical




DOOR GUARD



Product Codes

LHH601

Technical



Key Features

BS EN 12209 : 2003
Stainless steel
Satin Finish

DIMENSIONS
A-100MM
B-25MM
C-70MM

Finishes Available

SS

Standards

EN 12209 STANDARDS CE


DOOR SECURITY CHAIN



Product Codes

LHH720

Technical



Key Features

BS EN 12209 : 2003
Stainless steel
123mm x 22mm
Mounted on Door & Frame

Finishes Available

SS

Standards

EN 12209 STANDARDS CE

DOOR VIEWER



Product Codes

LHH750

Key Features

BS EN 12209 : 2003
Brass door viewer
Satin nickel finish
For 35-55 thickness door
180 degrees
With cover


Finishes Available

SN

Standards

EN 12209 STANDARDS

Technical



DIMENSIONS
A-18MM
B-35-55MM
C-12.7MM

COAT HOOK




Product Codes
LHH770

Key Features
304 Stainless Steel
Satin Finish

Finishes Available

SS

Technical



A-150mm, B-20mm,
C-100mm



HINGES


EN 1906 STANDARDS

EN 1935 STANDARDS

FD30/60

EN 1634.1 STANDARDS

déanta
HARDWARE



LHH403




LHH404


GRADE 13 / 2 BALL BEARING HINGE / SQUARE - PAIR FD30/60

LHH403 SN
LHH404 PC

Dimension
102mm(lenght) x 75mm(width) x 3mm
****Max door weight 120kg*



LHH401



LHH402

GRADE 13 / 2 BALL BEARING HINGE / RADIUS - PAIR FD30/60

LHH401 SN
LHH402 PC

Dimension
102mm(lenght) x 75mm(width) x 3mm
****Max door weight 120kg*



LHH405



LHH406



LHH407



LHH408

GRADE 11 / 4 BALL BEARING HINGE / SQUARE - PAIR FD30/60

Square - LHH405 - SN
Square - LHH406 - PC
Radiused - LHH407 - SN
Radiused - LHH408 - PC

Dimension
102mm(lenght) x 75mm(width) x 2.7mm
****Max door weight 80kg*



SIGNAGE

A RANGE OF DOOR SIGNAGE FOR USE WITH ANY OF THE DEANTA RANGES.



MALE

Product Codes

LHH501

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS



FEMALE

Product Codes

LHH502

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS



BABY CHANGE

Product Codes

LHH503

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Finishes Available

SS

Standards

FD30/60 EN 1634.1 STANDARDS



DISABLED FACILITIES

Product Codes

LHH504

Key Features

BS EN 1634.11
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available

SS



PULL

Product Codes

LHH505a

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available

SS



PUSH

Product Codes

LHH506a

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available

SS



FIRE DOOR - KEEP SHUT

Product Codes

LHH507

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available

SS



FIRE DOOR - KEEP LOCKED

Product Codes

LHH508

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available

SS



FIRE DOOR - AUTO KEEP CLEAR

Product Codes

LHH509

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available

SS



FIRE DOOR - KEEP CLEAR

Product Codes

LHH510

Key Features

BS EN 1634.1
76mm dia.
Stainless steel

Standards

FD30/60 EN 1634.1 STANDARDS

Finishes Available


SS

High Performance Seals for Fire & Smoke Resistant Door Assemblies

- All seals are supplied with high performance self-adhesive backing tape.
- Other lengths are available to special order, subject to a 30% surcharge per metre rate.
- Pricing below refers to our standard range of colours. Black, white & light brown.

DS
Acoustic, Smoke, Fire & Thermal Containment Seals


Product reference	Size	Standard lengths	Price per 2.1m length
LP1004DS	10 x 4mm	1m & 2.1m	€2.20
LP1504DS	15 x 4mm	1m & 2.1m	€2.35
LP2004DS	20 x 4mm	1m & 2.1m	€2.85



Note: Supplied with black fins. Available in a standard range of colours. Other options: 6mm fins, white fins (surcharge applies - prices on application).

SS
Fire & Smoke Seals

Product reference	Size	Standard lengths	Price per 2.1m length
LP1004SS	10 x 4mm	1m & 2.1m	€1.50
LP1504SS	15 x 4mm	1m & 2.1m	€ 1. 65
LP2004SS	20 x 4mm	1m & 2.1m	€2.35



Note: Supplied with 6mm brush (4mm protruding) as standard. Other brush lengths to special order: 7mm, 8mm, 9mm, 10mm, 12mm.

Fire Seals (for fire and hot smoke protection)

Product reference	Size	Standard lengths	Price per 2.1m length
LP1004	10 x 4mm	1m & 2.1m	€1.35
LP1504	15 x 4mm	1m & 2.1m	€1.50
LP2004	20 x 4mm	1m & 2.1m	€2.20



Note: Available in a standard range of colours, and also woodgrain and metallic finishes. (surcharge applies - prices on application).


Lorient Architectural Seals

Compression Seals

Product reference	Standard lengths	Price per 2.1m length or rolls
LAS 1212 Batwing® seal, 12mm x 12mm	1m & 2.1m	€2.35

Drop Seals

Product reference	Standard lengths	Price
LAS 8001 si	735mm	€18.00
LAS 8001 si	835mm	€18.50
LAS 8001 si	935mm	€18.80
LAS 8001 si	1035mm	€19.10
LAS 8001 si	1135mm	€19.50



LAS8001 si

TERMS: All prices shown in Euro (€). All prices strictly net and ex-works. Due to the nature of our invoicing system, prices for lengths over 1m are subject to rounding. Deanta & Lorient Polyproducts Ltd reserves the right to change published prices or data at any time. For a copy of our full terms and conditions, please contact Lorient. Errors & Omissions Excepted. A carriage charge of €15.00 applies to orders under €200 per mainland Ireland delivery.

Fire Resistant Glazing Systems

System-36 PLUS

Product Reference	Lengths	Price per metre
LG1513 System-36/7 PLUS gasket for 7mm glass	60m roll	€3.70
Glazing beads for 44mm and 54mm doors can be provided	Price depends on the species ordered	


System-36 PLUS

NOTE: System-36 PLUS can be supplied in 10m increments. A surcharge of 30% applies to all orders under 1 coil.

Flexible Figure 1


Product Reference	Lengths	Price per metre
Flexible Figure 1 intumescent strip	50mcoils, 5 per box	€0.95
lazing beads for 44m doors can be provided	Depends on the species ordered	


FF1

NOTE: Available in black, white or light brown. FF1 can be supplied in 50m increments. A surcharge of 30% applies to all orders under 250m.

RF1®

Product Reference	Lengths	Price per pack
RG2704 RF1® complete with liner 2 x 2.1m lengths of RF1 and 2 x 1050mm lengths of 54x2mm liner.	Per Pack	€19.50


RF1

NOTE: Available in black profile with white, cream, grey, light brown, dark brown caps

Fire Resistant Door Hardware

Product Reference	Size	Price per each
1mm with s/a Hinge Pad - white	100x30mm	€0.35
Lock, Latch and Hinge Protection kits are available to order in either 1mm or 2mm material including self-adhesive. Various sizes available and manufactured to order.	White, Brown or Black	POA



TERMS: All prices shown in Euro (€). All prices strictly net and ex-works. Due to the nature of our invoicing system, prices for lengths over 1m are subject to rounding. Deanta & Lorient Polyproducts Ltd reserves the right to change published prices or data at any time. For a copy of our full terms and conditions, please contact Lorient. Errors & Omissions Excepted. A carriage charge of €15.00 applies to orders under €200 per mainland Ireland delivery.

Deanta - Kerry
Curraheen, Tralee, Co.Kerry

Deanta - Dublin
2 Cloverhill Industrial Estate,
Clondalkin, Dublin 22

T: +353 (0) 66 71 94828
E: info@deantadoors.ie
W. www.deantadoors.ie

Local Stockist: